L Number	Hits	Search Text	DB	Time stamp
9	3028	((375/375,376) or (324/76.52,76.55,76.62,76.63,76.77,76.82)).ccls.	USPAT; US-PGPUB	2003/12/16 14:42
10	1044	((375/375,376) or (324/76.52,76.55,76.62,76.63,76.77,76.82)).ccls. and (phase adj detector)	USPAT; US-PGPUB	2003/12/16 14:53
11	130	(((375/375,376) or (324/76.52,76.55,76.62,76.63,76.77,76.82)).ccls. and (phase adj detector)) and (counter with (buffer$3 or stor$3))	USPAT; US-PGPUB	2003/12/16 14:54
12	5	(((((375/375,376) or (324/76.52,76.55,76.62,76.63,76.77,76.82)).ccls. and (phase adj detector)) and (counter with (buffer$3 or stor$3))) and (register with captur$3 with (rise or edge or output Bogdan))	USPAT; US-PGPUB	2003/12/16 15:09
13	809	Bogdan	USPAT; US-PGPUB	2003/12/16 15:09
14	42	Bogdan and (phase with (error or detector))	USPAT; US-PGPUB	2003/12/16 15:10
15	16	Bogdan and (phase adj detector)	USPAT; US-PGPUB	2003/12/16 16:09
16	15052	phase adj detector	USPAT; US-PGPUB	2003/12/16 16:19
17	601	(phase adj detector) and (phase adj5 register)	USPAT; US-PGPUB	2003/12/16 16:19
18	43	((phase adj detector) and (phase adj5 register)) and (calculat$3 with (phase adj (skew or error)))	USPAT; US-PGPUB	2003/12/16 16:19
19	1	(((phase adj detector) and (phase adj5 register)) and (calculat$3 with (phase adj (skew or error)))) and (open adj ended adj line)	USPAT; US-PGPUB	2003/12/16 16:11
20	37	((phase adj detector) and (phase adj5 register)) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:20
21	43	((phase adj detector) and (phase adj5 register)) and (calculat$3 with (phase adj (skew or error)))	USPAT; US-PGPUB	2003/12/16 16:18
22	1	(((phase adj detector) and (phase adj5 register)) and (calculat$3 with (phase adj (skew or error)))) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:18
23	15052	phase adj detector	USPAT; US-PGPUB	2003/12/16 16:19
24	601	(phase adj detector) and (phase adj5 register)	USPAT; US-PGPUB	2003/12/16 16:19
25	43	((phase adj detector) and (phase adj5 register)) and (calculat$3 with (phase adj (skew or error)))	USPAT; US-PGPUB	2003/12/16 16:20
26	1	(((phase adj detector) and (phase adj5 register)) and (calculat$3 with (phase adj (skew or error)))) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:21
27	479	(phase adj detector) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:21
28	37	((phase adj detector) and (phase adj5 register)) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:22
29	37	((phase adj detector) and (phase adj5 register)) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:22
30	37	((phase adj detector) and (phase adj5 register)) and (count$3 with (even or odd))	USPAT; US-PGPUB	2003/12/16 16:22
31	7	(US-6148052-$ or US-4470082-$ or US-4316152-$ or US-4884020-$ or US-5910753-$ or US-5936565-$).did. or (US-20020150191-$).did.	USPAT; US-PGPUB	2003/12/16 16:31

32	1	((US-6148052-$ or US-4470082-$ or US-4316152-$ or US-4884020-$ or US-5910753-$ or US-5936565-$).did. or (US-20020150191-$).did.) and (subtract$4 with count$3 with (skew or difference))	USPAT; US-PGPUB	2003/12/16 16:37
33	2	((US-6148052-$ or US-4470082-$ or US-4316152-$ or US-4884020-$ or US-5910753-$ or US-5936565-$).did. or (US-20020150191-$).did.) and (((minus or negative)with counter)or(subtract$4 with count$3 with (skew or difference)))	USPAT; US-PGPUB	2003/12/16 16:38
34	671	(phase adj detector) and (((minus or negative)with counter)or(subtract$4 with count$3 with (skew or difference)))	USPAT; US-PGPUB	2003/12/16 16:39
35	35392	(375/$$).CCLS.	USPAT; US-PGPUB	2003/12/16 16:39
36	97338	324/$$	USPAT; US-PGPUB	2003/12/16 16:39
37	213	((phase adj detector) and (((minus or negative)with counter)or(subtract$4 with count$3 with (skew or difference)))) and (((375/$$).CCLS.) or 324/$$)	USPAT; US-PGPUB	2003/12/16 16:40
38	62	(((phase adj detector) and (((minus or negative)with counter)or(subtract$4 with count$3 with (skew or difference)))) and (((375/$$).CCLS.) or 324/$$)) and PLL	USPAT; US-PGPUB	2003/12/16 16:40
39	62	(((phase adj detector) and (((minus or negative)with counter)or(subtract$4 with count$3 with (skew or difference)))) and (((375/$$).CCLS.) or 324/$$)) and PLL	USPAT; US-PGPUB	2003/12/16 16:49
-	487	digital adj phase adj detector	USPAT; US-PGPUB	2003/08/06 12:17
-	522	digital adj phase adj detector	USPAT; US-PGPUB	2003/08/06 12:18
-	190	(digital adj phase adj detector) and (count$3 near4 clock)	USPAT; US-PGPUB	2003/08/06 12:41
-	3	((digital adj phase adj detector) and (count$3 near4 clock)) and (phase adj skew)	USPAT; US-PGPUB	2003/08/06 12:41
-	0	("76.52,76.77").PN.	USPAT; US-PGPUB	2003/08/06 12:40
-	505	(324/76.52,76.77).CCLS.	USPAT; US-PGPUB	2003/11/10 15:22
-	0	(((324/76.52,76.77).CCLS.) and (count$3 near4 clock)) and (phase adj skew)	USPAT; US-PGPUB	2003/08/06 12:41
-	3	(((digital adj phase adj detector) and (count$3 near4 clock)) and (phase adj skew)) and (phase adj skew)	USPAT; US-PGPUB	2003/08/06 12:41
-	48	((324/76.52,76.77).CCLS.) and (count$3 near4 clock)	USPAT; US-PGPUB	2003/08/06 12:49
-	0	(((324/76.52,76.77).CCLS.) and (count$3 near4 clock)) and (count$3 with frame)	USPAT; US-PGPUB	2003/08/06 12:49
-	24356	count$3 with frame	USPAT; US-PGPUB	2003/08/06 12:49
-	640	(count$3 with frame) and (phase adj detector)	USPAT; US-PGPUB	2003/08/06 12:50
-	117	((count$3 with frame) and (phase adj detector)) and (frame with measure$4)	USPAT; US-PGPUB	2003/08/06 12:50
-	1	(((count$3 with frame) and (phase adj detector)) and (frame with measure$4)) and (phase adj skew)	USPAT; US-PGPUB	2003/08/06 12:51
-	9	(((count$3 with frame) and (phase adj detector)) and (frame with measure$4)) and (phase adj3 register)	USPAT; US-PGPUB	2003/08/06 12:51
-	0	("bogdan").PN.	USPAT; US-PGPUB	2003/11/07 14:37
-	793	bogdan	USPAT; US-PGPUB	2003/11/07 14:37
-	6	john with bogdan	USPAT; US-PGPUB	2003/11/10 15:21

-	34887	(375/$$).CCLS.	USPAT; US-PGPUB	2003/11/10 15:22
-	512	(324/76.52,76.77).CCLS.	USPAT; US-PGPUB	2003/11/10 15:22
-	35383	((375/$$).CCLS.) or ((324/76.52,76.77).CCLS.)	USPAT; US-PGPUB	2003/11/10 15:23
-	8055	(((375/$$).CCLS.) or ((324/76.52,76.77).CCLS.)) and (phase with detect$3)	USPAT; US-PGPUB	2003/11/10 15:23
-	8153	(((375/$$).CCLS.) or ((324/76.52,76.77).CCLS.)) and (phase with detect$3)	USPAT; US-PGPUB	2003/11/10 15:23
-	737	((((375/$$).CCLS.) or ((324/76.52,76.77).CCLS.)) and (phase with detect$3)) and ((phase with detect$3)same frame)	USPAT; US-PGPUB	2003/11/10 15:28
-	795	((((375/$$).CCLS.) or ((324/76.52,76.77).CCLS.)) and (phase with detect$3)) and ((phase with (count$3 or detect$3))same frame)	USPAT; US-PGPUB	2003/11/10 15:30
-	26	((((375/$$).CCLS.) or ((324/76.52,76.77).CCLS.)) and (phase with detect$3)) and ((phase with (count$3 or detect$3))same frame same clock same (odd or even))	USPAT; US-PGPUB	2003/11/10 15:46
-	1628	(375/376).CCLS.	USPAT; US-PGPUB	2003/11/10 15:46
-	301	(324/76.52).CCLS.	USPAT; US-PGPUB	2003/11/10 16:34
-	341	(324/76.11).CCLS.	USPAT; US-PGPUB	2003/11/10 16:36
-	298	((324/76.77) or (324/76.78)).CCLS.	USPAT; US-PGPUB	2003/11/10 16:36
-	233	(324/76.77).CCLS.	USPAT; US-PGPUB	2003/11/10 16:36
-	70	(324/76.78).CCLS.	USPAT; US-PGPUB	2003/11/10 16:38
-	258	(324/76.61,76.62).CCLS.	USPAT; US-PGPUB	2003/11/10 16:38
-	120	((324/76.61,76.62).CCLS.) and (count$3 with clock)	USPAT; US-PGPUB	2003/11/10 16:39
-	73	(((324/76.61,76.62).CCLS.) and (count$3 with clock)) and ((buffer$3 or stor$3)with count$3)	USPAT; US-PGPUB	2003/11/10 17:44
-	0	((((324/76.61,76.62).CCLS.) and (count$3 with clock)) and ((buffer$3 or stor$3)with count$3)) and (calculat$3 with skew)	USPAT; US-PGPUB	2003/11/10 17:45
-	0	((((324/76.61,76.62).CCLS.) and (count$3 with clock)) and ((buffer$3 or stor$3)with count$3)) and (frame adj skew)	USPAT; US-PGPUB	2003/11/10 17:45
-	0	((((324/76.61,76.62).CCLS.) and (count$3 with clock)) and ((buffer$3 or stor$3)with count$3)) and (skew)	USPAT; US-PGPUB	2003/11/10 17:45
-	0	((((324/76.61,76.62).CCLS.) and (count$3 with clock)) and ((buffer$3 or stor$3)with count$3)) and (phase adj capture adj register)	USPAT; US-PGPUB	2003/11/10 17:46
-	4	((((324/76.61,76.62).CCLS.) and (count$3 with clock)) and ((buffer$3 or stor$3)with count$3)) and (phase with register)	USPAT; US-PGPUB	2003/11/10 17:46
-	798	bogdan	USPAT; US-PGPUB	2003/11/17 13:20
-	6	John with bogdan	USPAT; US-PGPUB	2003/11/18 11:47
-	2411	(digital with (phase adj detector))	USPAT; US-PGPUB	2003/11/18 11:48
-	813	((digital with (phase adj detector))) and (count$3 with clock)	USPAT; US-PGPUB	2003/11/18 11:49
-	116	((digital with (phase adj detector))) and ((count$3 with clock) with (buffer$3 or stor$4))	USPAT; US-PGPUB	2003/11/18 11:49

-	116	((digital with (phase adj detector))) and ((count$3 with clock) with (buffer$3 or stor$4))	USPAT; US-PGPUB	2003/11/18 11:50
-	42	(((digital with (phase adj detector))) and ((count$3 with clock) with (buffer$3 or stor$4))) and (phase with register)	USPAT; US-PGPUB	2003/11/18 13:32
-	28	((((digital with (phase adj detector))) and ((count$3 with clock) with (buffer$3 or stor$4))) and (phase with register)) and (second with counter)	USPAT; US-PGPUB	2003/11/18 11:50
-	1	(((digital with (phase adj detector))) and ((count$3 with clock) with (buffer$3 or stor$4))) and (phase adj capture adj register)	USPAT; US-PGPUB	2003/11/18 13:33
-	1	(((digital with (phase adj detector))) and ((count$3 with clock) with (buffer$3 or stor$4))) and (captur$3 with signal with edge with gate)	USPAT; US-PGPUB	2003/11/18 13:34
-	53	(captur$3 with signal with edge with gate)	USPAT; US-PGPUB	2003/11/18 13:34
-	4	((captur$3 with signal with edge with gate)) and (phase adj detector)	USPAT; US-PGPUB	2003/11/18 13:46
-	67	(count$3 with buffer$3)with (phase adj detect$3)	USPAT; US-PGPUB	2003/11/18 13:48
-	1	(((count$3 with buffer$3)with (phase adj detect$3)) and (phase with (error or skew))) and (captur$3 with (ris$3 or edge or leg))	USPAT; US-PGPUB	2003/11/18 13:49
-	29	((count$3 with buffer$3)with (phase adj detect$3)) and (phase with (error or skew))	USPAT; US-PGPUB	2003/11/18 13:49